

# WOLKEN

SHEERELEGANCE



FOLLOW YOUR INSTINCT



SHEERELEGANCE

**WOLKEN**  
BLINDS · CURTAINS · AWNINGS



**PARIS**

WHITE / 0-005-51-00100

ANCHO: 2.80m WIDTH: 110in



Edisse



Base abierta

**PARIS**

CREAM / 0-005-51-00200

ANCHO: 2.80m WIDTH: 110in



Edisse



Base abierta



**PARIS**

BEIGE / 0-005-51-00500

ANCHO: 2.80m WIDTH: 110in



Edisse



Base abierta

**PARIS**

GREY / 0-005-51-00300

ANCHO: 2.80m WIDTH: 110in



Edisse



Base abierta







**PARIS**  
 BROWN / 0-005-51-00600  
 ANCHO: 2.80m WIDTH: 110in

   
 Eclisse Base abierta

**PARIS**  
 CHARCOAL / 0-005-51-00400  
 ANCHO: 2.80m WIDTH: 110in

   
 Eclisse Base abierta



**UNIVERSE**

WHITE / 0-005-52-00100

ANCHO: 2.80m WIDTH: 110in



Edisse



Base abierta

**UNIVERSE**

IVORY / 0-005-52-00200

ANCHO: 2.80m WIDTH: 110in




Edisse



Base abierta





**UNIVERSE**  
BEIGE / 0-005-52-00700  
ANCHO: 2.80m WIDTH: 110in

Eclisse Base abierta

**UNIVERSE**  
GREY / 0-005-52-00300  
ANCHO: 2.80m WIDTH: 110in

Eclisse Base abierta



**UNIVERSE**

GREY / 0-005-52-00300

ANCHO: 2.80m WIDTH: 110in



Edisse



Base abierta

**UNIVERSE**

CHOCOLATE / 0-005-52-00600

ANCHO: 2.80m WIDTH: 110in



Edisse



Base abierta



**UNIVERSE**

BLACK / 0-005-52-00400

ANCHO: 2.80m WIDTH: 110in



Eclipse



Base abierta

**HARMONY**

IVORY / 0-005-13-00200

ANCHO: 2.80m WIDTH: 110in



Eclipse



Base abierta







**HARMONY**  
BIEGE / 0-005-13-00300  
ANCHO: 2.80m WIDTH: 110in

   
Eclisse Base abierta

**HARMONY**  
WOOD / 0-005-13-00500  
ANCHO: 2.80m WIDTH: 110in

   
Eclisse Base abierta





**HARMONY**

COOL GREY / 0-005-13-00400

ANCHO: 2.80m WIDTH: 110in



Edisse



Base abierta



**VALENTINE**

WHITE / 0-WIK-VLFX13

ANCHO: 2.50m WIDTH: 98in





Edisse





Base abierta





**VALENTINE**  
IVORY / 0-WIK-VLFX25  
ANCHO: 2.50m WIDTH: 98in

   
Eclisse Base abierta

**VALENTINE**  
SAND / 0-WIK-VLFX33  
ANCHO: 2.50m WIDTH: 98in

   
Eclisse Base abierta








**VALENTINE**  
GREY / 0-WIK-VLFX44  
ANCHO: 2.50m WIDTH: 98in

   
Eclisse Base abierta

**VALENTINE**  
CHOCOLATE / 0-WIK-VLFX84  
ANCHO: 2.50m WIDTH: 98in

   
Eclisse Base abierta












**VALENTINE**  
BLACK / 0-WIK-VLFX98  
ANCHO: 2.50m WIDTH: 98in

   
Edisse Base abierta



**SCREEN**  
WHITE / 0-005-02-W5201  
ANCHO: 2.50m WIDTH: 98in

   
Edisse Base abierta









**SCREEN**  
WHITE/LINEN / 0-005-02-W5210  
ANCHO: 2.50m WIDTH: 98in

   
Eclisse Base abierta



**SCREEN**  
WHITE/BEIGE / 0-005-02-W5202  
ANCHO: 2.50m WIDTH: 98in

   
Eclisse Base abierta









**SCREEN**  
WHITE/ BROWN / 0-005-02-W5603  
ANCHO: 2.50m WIDTH: 98in

   
Eclisse Base abierta



**SCREEN**  
WHITE GRAY / 0-005-02-W5212  
ANCHO: 2.50m WIDTH: 98in

   
Eclisse Base abierta







**SCREEN**  
WHITE/ASH / 0-005-02-W5602  
ANCHO: 2.50m WIDTH: 98in

   
Edisse Base abierta



**OAK TREE**  
WHITE / 0-WIK-LO-13  
ANCHO: 2.80m WIDTH: 110in

   
Edisse Base abierta





**OAK TREE**  
CREAM / O-WIK-LO-23  
ANCHO: 2.80m WIDTH: 110in

   
Edisse Base abierta

**OAK TREE**  
GRAY / O-WIK-LO-47  
ANCHO: 2.80m WIDTH: 110in

   
Edisse Base abierta





**OAK TREE**

BROWN / 0-WIK-LO-87


ANCHO: 2.80m WIDTH: 110in



Edisse



Base abierta



**BRENT**

WHITE / 0-005-22-00100

ANCHO: 2.80m WIDTH: 110in





Edisse





Base abierta



**BRENT**  
IVORY / 0-005-22-00200  
ANCHO: 2.80m WIDTH: 110in

   
Edisse Base abierta



**BRENT**  
MUSHROOM / 0-005-22-00500  
ANCHO: 2.80m WIDTH: 110in

   
Edisse Base abierta










**BRENT**  
KHAKI / 0-005-22-00300  
ANCHO: 2.80m WIDTH: 110in

   
Edisse Base abierta

**BRENT**  
BROWN / 0-005-22-00600  
ANCHO: 2.80m WIDTH: 110in

   
Edisse Base abierta






**BRENT**  
 CHOCOLATE / 0-005-22-00400  
 ANCHO: 2.80m WIDTH: 110in

   
 Edisse Base abierta



**BRENT**  
 PEARL GREY / 0-005-22-00700  
 ANCHO: 2.80m WIDTH: 110in

   
 Edisse Base abierta








**TIMBER**  
IVORY / 0-005-14-00200  
ANCHO: 2.80m WIDTH: 110in

   
Eclisse Base abierta



**TIMBER**  
BEIGE / 0-005-14-00300  
ANCHO: 2.80m WIDTH: 110in

   
Eclisse Base abierta





**TIMBER**  
WOOD / 0-005-14-00400  
ANCHO: 2.80m WIDTH: 110in

   
Eclipse Base abierta

SHEERELEGANCE / DIMOUT


  
BLINDS-CURTAINS-AWNINGS



**NAPOLI DIM OUT**  
WHITE / 0-005-53-00100  
ANCHO: 2.80m WIDTH: 110in

   
Eclisse Base cerrada

**NAPOLI DIM OUT**  
CREAM / 0-005-53-00200  
ANCHO: 2.80m WIDTH: 110in

   
Eclisse Base cerrada



**NAPOLI DIM OUT**

IVORY / 0-005-53-00300

ANCHO: 2.80m WIDTH: 110in



Edisse



Base cerrada

**NAPOLI DIM OUT**

SAND / 0-005-53-00900

ANCHO: 2.80m WIDTH: 110in



Edisse



Base cerrada



**NAPOLI DIM OUT**

KHAKI / 0-005-53-00400

ANCHO: 2.80m WIDTH: 110in



Edisse



Base cerrada

**NAPOLI DIM OUT**

WOOD / 0-005-53-00700

ANCHO: 2.80m WIDTH: 110in






Edisse



Base cerrada






**NAPOLI DIM OUT**  
 CHARCOAL / 0-005-53-00800  
 ANCHO: 2.80m WIDTH: 110in

   
 Edisse Base cerrada

**NAPOLI DIM OUT**  
 LIGHT GREY / 0-005-53-00500  
 ANCHO: 2.80m WIDTH: 110in

   
 Edisse Base cerrada






**PRIVE**  
SAND / 0-005-10-00300  
ANCHO: 2.50m WIDTH: 98in

   
Edisse Base cerrada



**PRIVE**  
SAND / 0-005-10-00300  
ANCHO: 2.50m WIDTH: 98in

   
Edisse Base cerrada








**PRIVE**  
 BROWN / 0-005-10-00400  
 ANCHO: 2.50m WIDTH: 98in

   
 Edisse Base cerrada

**MERIT DIM OUT**  
 LIGHT GREY / 0-005-44-00100  
 ANCHO: 2.80m WIDTH: 110in

   
 Edisse Base abierta










**MERIT DIM OUT**  
LIGHT GREY / 0-005-44-00100  
ANCHO: 2.80m WIDTH: 110in

 Edisse  Base abierta

**MERIT DIM OUT**  
DARK GREY / 0-005-44-00600  
ANCHO: 2.80m WIDTH: 110in

 Edisse  Base abierta







**MERIT DIM OUT**  
SAND / 0-005-44-00200  
ANCHO: 2.80m WIDTH: 110in




Eclisse Base abierta

**MERIT DIM OUT**  
CHERRY / 0-005-44-00800  
ANCHO: 2.80m WIDTH: 110in



Eclisse Base abierta





**MERIT DIM OUT**  
 WOOD / 0-005-44-00300  
 ANCHO: 2.80m WIDTH: 110in

---

   
 Edisse Base abierta

**MERIT DIM OUT**  
 CHOCOLATE / 0-005-44-00500  
 ANCHO: 2.80m WIDTH: 110in



---

   
 Edisse Base abierta







**MERIT DIM OUT**  
BROWN / 0-005-44-00400  
ANCHO: 2.80m WIDTH: 110in



   
Edisse Base abierta





**JASPE DIM OUT**  
SAND / 0-MDS-JDM280LA  
ANCHO: 2.50m WIDTH: 98in

   
Edisse Base cerrada







**JASPE DIM OUT**  
 TAUPE / 0-MDS-JDM280TA  
 ANCHO: 2.50m    WIDTH: 98in

Eclisse    Base cerrada

**JASPE DIM OUT**  
 GREY / 0-MDS-JDM280GR  
 ANCHO: 2.50m    WIDTH: 98in



Eclisse    Base cerrada







**JASPE DIM OUT**  
 BROWN / 0-MDS-JDM280BR  
 ANCHO: 2.50m WIDTH: 98in

---

   
 Edisse Base cerrada

**JASPE DIM OUT**  
 CACAO / 0-MDS-JDM280CA  
 ANCHO: 2.50m WIDTH: 98in

---

   
 Edisse Base cerrada





## FICHA TÉCNICA TECHNICAL DATA

CLAVE / ITEM CODE	MODELO / MODEL	ACABADO / FINISH	COMPOSICIÓN / COMPOSITION	PESO / WEIGHT	ESPESOR / THICKNESS	RESISTENCIA A LA LUZ / LIGHT FASTNESS	LIMPIEZA / CLEANING
0-005-51	PARIS	Traslucido/Translucent Semitraslucido/Semitranslucent	100% PES	101 g/m <sup>2</sup> (±5%)   2.97 oz/yd <sup>2</sup> (±5%)	0.29 mm(±5%)   0.011 in (±5%)	4.5 Xenotest Grade	Aspiradora / Vacuum
0-005-52	UNIVERSE	Traslucido/Translucent Semitraslucido/Semitranslucent	100% PES	80 g/m <sup>2</sup> (±5%)   2.35 oz/yd <sup>2</sup> (±5%)	0.24 mm(±5%)   0.0094 in (±5%)	4.5 Xenotest Grade	Aspiradora / Vacuum
10-005-13	HARMONY	Traslucido/Translucent Semitraslucido/Semitranslucent	77 % PES + 23 % COT	160 g/m <sup>2</sup> (±5%)   5.64 oz/yd <sup>2</sup> (±5%)	0.65 mm(±5%)   0.025 in (±5%)	≥ 4	Aspiradora / Vacuum
0-WIK-VLFX	VALENTINE	Traslucido/Translucent Semitraslucido/Semitranslucent	100% PES	134 g/m <sup>2</sup> (±5%)   4.72 oz/yd <sup>2</sup> (±5%)	0.36 mm (±5%)   0.014 in (±5%)	-	Aspiradora / Vacuum
0-005-02	SCREEN	Traslucido/Translucent Semitraslucido/Semitranslucent	30 % PES + 70 % PVC	270 g/m <sup>2</sup> (±5%)   9.52 oz/yd <sup>2</sup> (±5%)	0.60 mm (±5%)   0.023 in (±5%)	≥ 4	Aspiradora / Vacuum
0-WIK-LO	OAK TREE	Traslucido/Translucent Semitraslucido/Semitranslucent	100% PES	126 g/m <sup>2</sup>   4.44 oz/yd <sup>2</sup>	0.50 mm (±5%)   0.019 in (±5%)	-	Aspiradora / Vacuum
0-005-22	BRENT	Traslucido/Translucent Semitraslucido/Semitranslucent	100% PES	159 g/m <sup>2</sup> (±5%)   4.68 oz/yd <sup>2</sup> (±5%)	0.70 mm (±5%)   0.027 in (±5%)	4.5 Xenotest Grade	Aspiradora / Vacuum
10-005-14	TIMBER	Traslucido/Translucent Semitraslucido/Semitranslucent	100% PES	123 g/m <sup>2</sup> (±5%)   4.33 oz/yd <sup>2</sup> (±5%)	0.38 mm (±5%)   0.014 in (±5%)	≥ 4	Aspiradora / Vacuum
0-005-53	NÁPOLI DIM OUT	Traslucido/Translucent Semitraslucido/Semitranslucent	100% PES	142 g/m <sup>2</sup> (±5%)   4.18 oz/yd <sup>2</sup> (±5%)	0.43 mm(±5%)   0.016 in (±5%)	4.5 Xenotest Grade	Aspiradora / Vacuum
0-005-10	PRIVÉ	Traslucido/Translucent Dimout	100% PES	171 g/m <sup>2</sup> (±5%)   6.031 oz/yd <sup>2</sup> (±5%)	0.47 mm (±5%)   0.018 in (±5%)	≥ 4	Aspiradora / Vacuum
0-005-44	MERIT DIM OUT	Traslucido/Translucent Dimout	100% PES	300g/m <sup>2</sup> (±5%)   10.5 oz/yd <sup>2</sup> (±5%)	- -	-	Aspiradora / Vacuum
0-MDS-JDM280	JASPE DIM OUT	Traslucido/Translucent Dimout	100% PES	171 g/m <sup>2</sup> (±5%)   6.031 oz/yd <sup>2</sup> (±5%)	0.47 mm (±5%)   0.018 in (±5%)	-	Aspiradora / Vacuum
0-005-09	OPAQUE	Traslucido/Translucent Dimout	100% PES	320 g/m <sup>2</sup> (±5%)   11.28 oz/yd <sup>2</sup> (±5%)	0.59 mm (±5%)   0.023 in (±5%)	≥ 4-5	Aspiradora / Vacuum

### ICONOGRAFÍA / ICONS



SHEER ELEGANCE/  
SHEER BLIND

PVC | PVC

COT |

ALGODÓN/  
COTTON

### CERTIFICADOS / CERTIFICATES



**WOLKEN**

BLINDS·CURTAINS·AWNINGS



The logo consists of the word "WOLKEN" in a bold, uppercase, sans-serif font. The letter "E" is stylized with a horizontal line through its middle. The text is white and is contained within a white rounded rectangular box.

**WOLKEN**

BLINDS·CURTAINS·AWNINGS

WOLKEN.COM